Technical questionnaire

Cichorium intybus L. var. foliosum Bisch.

Witloof Chicory
Version 9 - Publication date: 11/07/2024
Mandatory fields or sections are marked with an asterisk (*)
04 . Information on the breeding scheme and propagation of the variety
04.01. Type of material *
O hybrid
O cross-pollinated variety
O self-pollinated variety
O parent line
04.01.01. Parental line use*
In many cases there is a link in morphological expression of characteristics between the parent line and its hybrids. Therefore, it is recommended to provide information about the identity of hybrid varieties where the parental line is used. This makes the organisation of the technical examination more efficient and lowers the risk of an additional year at the costs of the applicant. This information will be dealt with confidentially and only share with the examination office in charge of the technical examination.
Please indicate for the production of which hybrid variety(ies) the parental
line is used
*
04.02. Method of propagation of the variety*
O seed propagated
O vegetatively propagated
04.03. Other information on genetic origin and breeding method
Please specify
05 . Characteristics
(the number in brackets refers to the corresponding characteristic in the CPVO Technical Protocol; please matthe state of expression which best corresponds).
(4) (G) 05.01. Leaf: length *
☐ 1 - very short

	2 - very short to short	
	-	
	3 - short	
	4 - short to medium	
	5 - medium	
	6 - medium to long	
	7 - long	
	8 - long to very long	
	9 - very long	
(7) (G) 05.	.03. Leaf: colour*	
•	1 - only green	
•	2 - green and red	
•	3 - only red	
(8) (G) 05 .	5.04. Leaf: intensity of green colour*	
	1 - very light	
_	2 - very light to light	
	3 - light	
	4 - light to medium	
	5 - medium	
	6 - medium to dark	
	7 - dark	
	8 - dark to very dark	
	9 - very dark	
(19) (G) 0 :	5.05. Time of beginning of flowering *	
	1 - very early	
	2 - very early to early	
	3 - early	
	4 - early to medium	



Breeder's ref.: undefined

reeder's ref.	: undefined
	5 - medium
	6 - medium to late
	7 - late
	8 - late to very late
	9 - very late
(25) (G) 0 5	5.06. Male sterility *
•	1 - absent
0	9 - present
(26) (G) 0	5.07. Head: length *
	1 - very short
	2 - very short to short
	3 - short
	4 - short to medium
	5 - medium
	6 - medium to long
	7 - long
	8 - long to very long
	9 - very long
(29) (G) 0	5.08. Head: shape in longtudinal section *
•	1 - ovate
0	2 - broad elliptic
0	3 - medium elliptic
0	4 - narrow elliptic
06 . Simila	ar varieties and differences from these varieties
06.1. Are	there any similar variety(ies) known?*
0	1 - yes

06.2. Similar varieties and differences from these varieties: *

Q 2 - no



Denomination of similar variety	Characteristic in which the similar variety is different	State of expression of similar variety	State of expression of candidate variety
' . Additional informa	ation which may help to distir	nguish the variety	
.01. Resistances to p	ests and diseases*		
O 1 - yes (plea:	se specify):		
Q 2 - no	<u></u>		
.02. Special conditio .02.01. Period of for	ns for the examination of the	variety*	
Please indicate in	months: *		
.03. Other informati	on*		
O 1 - yes (pleas	se specify):		
Q 2 - no			
. GMO-information	requested		
	sents a genetically modified on the sents a genetically modified on 12/03/2001 which re	-	•
O 1 - yes			
Q 2 - no			
s.b. If yes, has such a	uthorization been obtained?*	· ·	
Q 1 - yes			

08.c. If yes, please attach a copy of such an authorization $\mbox{*}$

Documents to be attached

