## **Technical questionnaire**

Cichorium intybus L. (partim)

its hybrids. Therefore, it is recomme where the parental line is used. This	with an asterisk (*)  The and propagation of the variety  Schological expression of characteristics between the parent line and ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficient year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
04.01. Type of material *  O hybrid O cross-pollinated variety O self-pollinated variety O parent line  04.01.01. Parental line use *  In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  04.02. Method of propagation of the value of the propagated	chological expression of characteristics between the parent line and ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficient year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
O4.01. Type of material * O hybrid O cross-pollinated variety O self-pollinated variety O parent line  O4.01.01. Parental line use *  In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  O4.02. Method of propagation of the value of the propagation of the propagation of the propagation of the value of the propagation of the propagati	phological expression of characteristics between the parent line and ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficien year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
<ul> <li>hybrid</li> <li>cross-pollinated variety</li> <li>self-pollinated variety</li> <li>parent line</li> <li>04.01.01. Parental line use*</li> <li>In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the</li> <li>Please indicate for the production which hybrid variety(ies) the parer line is used</li> <li>*</li> <li>04.02. Method of propagation of the value of the propagation of the value of the propagated</li> </ul>	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficiency year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
<ul> <li>cross-pollinated variety</li> <li>self-pollinated variety</li> <li>parent line</li> <li>parent line</li> <li>04.01.01. Parental line use*</li> <li>In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the</li> <li>Please indicate for the production which hybrid variety(ies) the parer line is used</li> <li>*</li> <li>04.02. Method of propagation of the value of the propagated</li> </ul>	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficiency year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
<ul> <li>self-pollinated variety</li> <li>parent line</li> <li>parental line use*</li> <li>In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the</li> <li>Please indicate for the production which hybrid variety(ies) the parer line is used</li> <li>*</li> <li>04.02. Method of propagation of the value of the propagated</li> </ul>	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficient year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
O parent line  04.01.01. Parental line use*  In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  04.02. Method of propagation of the value of the propagated	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficien year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
O4.01.01. Parental line use *  In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  O4.02. Method of propagation of the value of the propagation	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficien year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
In many cases there is a link in morp its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  04.02. Method of propagation of the value of the value of the propagation of the propagati	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficien year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
its hybrids. Therefore, it is recomme where the parental line is used. This and lowers the risk of an additional y confidentially and only share with the Please indicate for the production which hybrid variety(ies) the parer line is used  *  04.02. Method of propagation of the value of the value of the propagated	ended to provide information about the identity of hybrid varieties makes the organisation of the technical examination more efficien year at the costs of the applicant. This information will be dealt with e examination office in charge of the technical examination.
which hybrid variety(ies) the parer line is used  *  04.02. Method of propagation of the value of propagated	
<b>04.02. Method of propagation of the v</b> o	
• seed propagated	
	variety *
O vegetatively propagated	
04.03. Other information on genetic o	origin and breeding method
Please specify	
05 . Characteristics	
(the number in brackets refers to the cor the state of expression which best corres	rresponding characteristic in the CPVO Technical Protocol; please mesponds).
(2) 05.01. Plant: diameter (plant fully o	

## Breeder's ref.: undefined ☐ 2 - very small to small ☐ 3 - small ☐ 4 - small to medium ☐ 5 - medium ☐ 6 - medium to large ☐ 7 - large ■ 8 - large to very large 9 - very large (7) (G) 05.02. Leaf: anthocyanin coloration \* O 1 - absent O 9 - present (8) (G) 05.03. Leaf: colour \* ☐ 1 - yellowish green ☐ 2 - light green ☐ 3 - medium green 4 - dark green ☐ 5 - light red ☐ 6 - medium red ☐ 7 - dark red ■ 8 - very dark red (11) 05.04. Leaf: colour of midrib\* ☐ 1 - whitish 2 - green ☐ 3 - red (19) (G) 05.05. Plant: head formation \* O 1 - absent **Q** 2 - open O 3 - closed (20) 05.06. Time of head formation \* ☐ 1 - very early ☐ 2 - very early to early □ 3 - early 4 - early to medium



5 - medium

Breeder's ref.:	undefined
	6 - medium to late
	7 - late
	8 - late to very late
	9 - very late
(24) (G) <b>0</b> 5	5.07. Head: shape of longitudinal section *
	1 - ovate
	2 - oblate
	3 - circular
	4 - elliptic
(27) 05.08	. Head: anthocyanin coloration of cover leaves *
•	1 - absent
0	9 - present
(28) 05.09	. Head: colour of cover leaves *
	1 - whitish green
	2 - yellowish green
	3 - light green
	4 - medium green
	5 - dark green
	6 - light red
	7 - medium red
	8 - dark red
	9 - very dark red
(30) 05.10	. Plant: stem formation (at harvest maturity) *
•	1 - absent
0	9 - present
06 Simila	r varieties and differences from these varieties
06.1. Are t	there any similar variety(ies) known?*
•	1 - yes

06.2. Similar varieties and differences from these varieties: \*

**Q** 2 - no



Denomination of similar variety	Characteristic in which the similar variety is different	State of expression of similar variety	State of expression of candidate variety	

07 . Addit	tional information	which may help	to distin	guish the va	riety	
07.01. Re	sistances to pests	and diseases*				
0	1 - yes (please spe	ecify):				
0	2 - no					
_	ecial conditions fo		on of the	variety *		
07.02.01.	Cultural type of pl	ant: *				
	1 - cutting					
	2 - head					
	3 - leaves and ste	ms				
07.02.02.	Other conditions *	r				
0	1 - yes (please spe	ecify):				 
0	2 - No		±			
07.03. Ot	her information *					
0	1 - yes (please spe	ecify):				
	, , , , , , , , , , , , , , , , , , , ,	, .				
Q	2 - No		¥			 

## ${\bf 08.~GMO\text{-}information~requested}$

08.a. The variety represents a genetically modified organism (GMO) within the meaning of Article 2(2) of Council Directive EC/2001/18 of 12/03/2001 which requires authorization for release in the environment:

\*

- **O** 1 yes
- **Q** 2 no

08.b. If yes, has such authorization been obtained?\*



•	1 - yes
•	2 - no
08.c. If yes	s, please attach a copy of such an authorization *
Doc	uments to be attached

Breeder's ref.: undefined

