## **Technical questionnaire**

Brassica oleracea L. convar capitata (L.) Alef var. alba DC.

wnite cai	bbage	
Version 9	9 - Publication date: 11/07/2024	
Mandator	y fields or sections are marked with an	asterisk (*)
04 . Infor	mation on the breeding scheme an	d propagation of the variety
04.01. Туլ	pe of material *	
0	hybrid	
0	cross-pollinated variety	
0	self-pollinated variety	
0	parent line	
04.01.01.	Parental line use*	
In mar its hyb where and lo confid	ny cases there is a link in morphologiorids. Therefore, it is recommended the parental line is used. This makes wers the risk of an additional year at lentially and only share with the example.	cal expression of characteristics between the parent line and to provide information about the identity of hybrid varieties the organisation of the technical examination more efficient the costs of the applicant. This information will be dealt with ination office in charge of the technical examination.
wh	ease indicate for the production of nich hybrid variety(ies) the parental e is used	
*		
04.02. Me	ethod of propagation of the variety	*
0	seed propagated	
0	vegetatively propagated	
04.03. Ot	her information on genetic origin a	and breeding method
Ple	ease specify	
05 . Chara	acteristics	
	ber in brackets refers to the correspo of expression which best correspond	nding characteristic in the CPVO Technical Protocol; please ma s).
(1) 05.01.	. Plant: height *	

Į		2 - very short to short			
[		3 - short			
Į		4 - short to medium			
[		5 - medium			
[		6 - medium to tall			
Į		7 - tall			
[		8 - tall to very tall			
Į		9 - very tall			
(3) 05.	02.	Plant: length of outer stem *			
Į		1 - very short			
Į		2 - very short to short			
Į		3 - short			
Į		4 - short to medium			
Į		5 - medium			
[		6 - medium to long			
Į		7 - long			
Į		8 - long to very long			
Į		9 - very long			
(E) 5E					
		Outer leaf: size *			
ļ		1 - very small			
		2 - very small to small			
•		3 - small			
		4 - small to medium			
		5 - medium			
		6 - medium to large			
		7 - large			
		8 - large to very large			
l		9 - very large			
(8) 05.	(8) 05.04. Outer leaf: degree of blistering *				
	0	1 - absent or very weak			
(	0	2 - moderate			



Breeder's ref.: undefined

Breeder's	ref.:	undefined		
(	0	3 - strong		
(11) (G	(11) (G) 05.05. Outer leaf: colour (with wax)*			
(	0	1 - yellow green		
	0	2 - green		
(	0	3 - grey green		
	0	4 - blue green		
	0	5 - violet		
(12) 05	5.06.	. Outer leaf: intensity of colour*		
1		1 - very light		
ı		2 - very light to light		
		3 - light		
	_			
		4 - light to medium		
		5 - medium 6 - medium to dark		
		7 - dark 8 - dark to very dark		
		9 - very dark		
•		y very dark		
(14) 05	5.07.	. Outer leaf: waxiness *		
I		1 - absent or very weak		
I		2 - very weak to weak		
		3 - weak		
		4 - weak to medium		
		5 - medium		
		6 - medium to strong		
		7 - strong 8 - strong to very strong		
		9 - very strong		

(17) (G) 05.08. Head: shape of longitudinal section  $\mbox{*}$ 



## Breeder's ref.: undefined

0	1 - transverse narrow elliptic
0	2 - transverse elliptic
0	3 - circular
0	4 - broad elliptic
0	5 - broad obovate
0	6 - broad ovate
0	7 - angular ovate
(20) (6) 01	-
_	5.09. Head: diameter*
	1 - very small
	-
	3 - small
	4 - small to medium
	5 - medium
	6 - medium to large
	7 - large
	8 - large to very large
	9 - very large
(30) (G) 05	5.10. Head: density*
	1 - very loose
	2 - very loose to loose
	3 - loose
	4 - loose to medium
	5 - medium
	6 - medium to dense
	7 - dense
	8 - dense to very dense
	9 - very dense
(33) (G) <b>0</b> 5	5.11. Time of harvest maturity *
	1 - very early
	3 - early
	4 - early to medium
	5 - medium
<del></del>	6 - medium to late



eeder's ref.:	: undefined				
	7 - late				
	8 - late to very	late			
	9 - very late				
(33) 05.11	.01. Time of ha	rvest maturity*			
Con	nparable with th	ne variety: *			
(35) (G) 0!	5.12. Male steri	lity*			
0	1 - absent				
0	9 - present				
0	CMS/other:				
(36) (G) <b>0</b> !	5.13. Resistance	e <b>to</b> <i>Fusarium oxysporui</i>	n f. sp	. conglutinans race 1 (Foc)*	•
0	1 - absent				
0	9 - present				
0	1 - yes	ar variety(ies) known	? <b>*</b>		
0	2 - no				
06.2. Simi	lar varieties an	d differences from th	ese va	rieties: *	
Denomir similar v		Characteristic in w the similar variety different		State of expression of similar variety	State of expression of candidate variety
		on which may help to	distin	guish the variety	
	-	sts and diseases*			
0	1 - yes (please	specify):			
Q	2 - no		i		

07.02. Special conditions for the examination of the variety  ${\color{red}^{\star}}$ 



	0	1 - yes (please specify):		
	0	2 - no		
		ner information * Market *		
	0	1 - fresh market		
	0	2 - industry		
	0	3 - storage		
07.03	.02.	Growing season *		
	Growing region *			
08 . G	MO-	information requested		
			nodified organism (GMO) within the meaning of Article 2	
Coun *	cil D	irective EC/2001/18 of 12/03/2001	which requires authorization for release in the environ	ment:
	O	1 - yes		
	0	2 - no		
08.b.	lf ye	s, has such authorization been ob	otained?*	
	0	1 - yes		
	0	2 - no		
08.c. l	f ye	s, please attach a copy of such an	authorization *	
	Doo	cuments to be attached		



Breeder's ref.: undefined