

Olearia
Simplified standard protocol: SSP/OLE/1

Examination office	Naktuinbouw	
Reference of the protocol	SSP/OLE/1	
Date of preparation of the protocol	15/07/2025	
Date of entry into force of the protocol	01/04/2023	
Botanical taxon:	Olearia phlogopappa (Labill.) DC.	
Common Name (when known):	Tasmanian daisybush	
Way of propagation of the plants to be examined	Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/>	
Number of growing cycles:	1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify	
List of grouping characteristics	Yes <input type="checkbox"/> if yes put as annex No <input type="checkbox"/>	
Minimum number of plants in trial	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place	see: EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	
Uniformity: <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 24 plants, 1 off-types are allowed. - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 		
Table of characteristics	Present <input checked="" type="checkbox"/> Not available <input type="checkbox"/>	

Literature (when present, please annex to this document)	Present <input checked="" type="checkbox"/> Absent <input type="checkbox"/>
---	--

TABLE OF CHARACTERISTICS

N°	Stage	Characteristics
1.	(b)	Plant: height
2.	(b)	Plant: growth habit
3.	(a)	Leaf: length
4.	(a)	Leaf: width
5.	(a)	Leaf: color of upper side
6.	(a)	Leaf: color of lower side
7.	(a)	Leaf: density of incisions of margin
8.	(a)	Leaf: depth of incisions of margin
9.	(b)	Flower head: diameter
10.	(b)	Ray floret: length
11.	(b)	Ray floret: width
12.	(b)	Ray floret: shape of apex
13.	(b)	Ray floret: curvature of longitudinal axis
14.	(b)	Ray floret: color of upper side RHS Colour Chart (indicate reference number)
15.	(b)	Ray floret: pappus color
16.	(b)	Involucre: length
17.	(b)	Disc: diameter
18.	(b)	Disc floret: color RHS Colour Chart (indicate reference number)

EXPLANATIONS ON THE TABLE OF CHARACTERISTICS

Explanations covering several characteristics

- (a) Observations should be made just before flowering on fully developed leaves on the middle third of a primary lateral shoot.
- (b) Observations should be made at full flowering.

LITERATURE

The Cambridge Illustrated Glossary of Botanical Terms: by Michael Hickey and Clive King

Name that flower: by Ian Clarke and Heleen Lee

Botanisch woordenboek: by Henk Eggelte

The Kew Plant Glossary, an illustrated dictionary of plant terms: by Henk Beentje